



programs combine appropriate pharmaceuticals (e.g., hematopoietic growth factors, hemostatic agents), devices (e.g., hemostatic surgical instruments, equipment for blood salvage) and techniques (e.g., meticulous surgical hemostasis, deliberate hypotension, hemodilution, minimal blood testing, perioperative normothermia),¹ and, as Laupacis points out, no medical intervention is without risk.

In his final report, Justice Horace Krever reminded us that we cannot tolerate complacency or inertia with regard to the use of allogeneic blood, given the inherent potential for transmission of new and emerging diseases,² and he recommended using alternatives. Had blood conservation methods that were developed in the pre-HIV era been offered to patients, some of the tainted blood tragedies would have been avoided.³⁻⁵ Let the patient decide, because it is the patient who must live with the consequences.

J. Mervyn Thomas, MB

Nanaimo Regional General Hospital
Nanaimo, BC

References

1. Salem MR, editor. *Blood conservation in the surgical patient*. Baltimore: Williams & Wilkins; 1996.

2. Commission of Inquiry on the Blood System in Canada. *Final report*. Ottawa: Canadian Government Publishing — PWGSC; 1997. p. 955-81.
3. Martin DS, Galliano R. Bloodless liver resection under hypotensive hypothermia. *Am J Surg* 1965;109:625-8.
4. McKenzie FN, Heimbecker RO, Barnicoat KTN, Robert A, Gergeley NF, Del Maestro R, et al. Bloodless open heart surgery with atraumatic extracorporeal circulation. *CMAJ* 1975;112(9):1073-7.
5. Nelson CL, Martin K, Lawson N, et al. Total hip replacement without transfusion. *Contemp Orthop* 1980;2(9):655-8.

Reuse of single-use medical supplies?

The issues surrounding the appropriate clinical reuse of medical supplies intended for single use are legion. The reuse question encompasses clinical, ethical, economic and legal issues that require continuing analysis and debate, particularly when health care funding is being rationed. To facilitate this discussion I have established a searchable electronic discussion forum on the World Wide Web (canmed.net/reuse/). Participants are welcome to pose questions, offer information and respond to previous postings. Any popular Web browser will work at the site. It is expected (and hoped) that

discussions concerning anesthesia, cardiologic, surgical and radiologic equipment will predominate.

D. John Doyle, MD, PhD

Department of Anaesthesia
Toronto Hospital and
University of Toronto
Toronto, Ont.

Lashing out against the term "whiplash"

I read with interest the article "BC Tackles whiplash-injury problem" (*CMAJ* 1998;158[8]:1003-5), by Heather Kent. As a physician who does shifts in the emergency department, I try to avoid using the term "whiplash" because I don't think it accurately describes the injury. I suspect that the word conjures up negative images in patients who have experienced what I prefer to call a "flexion-extension injury" — it may even invite litigation.

I strongly encourage physicians to adopt a term other than whiplash in describing these injuries to patients.

Jeffrey R. Sloan, MD

Napanee, Ont.

Submitting letters

Letters must be submitted by mail, courier or email, not by fax. They must be signed by all authors and limited to 300 words in length. Letters that refer to articles must be received within 2 months of the publication of the article. *CMAJ* corresponds only with the authors of accepted letters. Letters are subject to editing and abridgement.

Note to email users

Email should be addressed to pubs@cma.ca and should indicate "Letter to the editor of *CMAJ*" in the subject line. A signed copy must be sent subsequently to *CMAJ* by fax or regular mail. Accepted letters sent by email appear in the Readers' Forum of *CMA Online* (www.cma.ca) promptly, as well as being published in a subsequent issue of the journal.

Pour écrire à la rédaction

Prière de faire parvenir vos lettres par la poste, par messenger ou par courrier électronique, et non par télécopieur. Chaque lettre doit porter la signature de tous ses auteurs et avoir au maximum 300 mots. Les lettres se rapportant à un article doivent nous parvenir dans les 2 mois de la publication de l'article en question. Le *JAMC* ne correspond qu'avec les auteurs des lettres acceptées pour publication. Les lettres acceptées seront révisées et pourront être raccourcies.

Aux usagers du courrier électronique

Les messages électroniques doivent être envoyés à l'adresse pubs@cma.ca. Veuillez écrire «Lettre à la rédaction du *JAMC*» à la ligne «Subject». Il faut envoyer ensuite, par télécopieur ou par la poste, une lettre signée pour confirmer le message électronique. Une fois une lettre reçue par courrier électronique acceptée pour publication, elle paraîtra dans la chronique «Tribune des lecteurs du *JAMC*» d'*AMC En direct* (www.cma.ca) tout de suite, ainsi que dans un numéro prochain du journal.