nitials						ID	
			First author, yea	ar			
Country							
opulation ramework			Design (circl appropriate and	e swer)	Case-contro	l/ Cohort/ Other	
age range		Adults Adolescents	Mean duration of follow-up				
Cases	No		Controls	No.			
	Definition:			Defii	nition:		
Matching			Confounder				
criteria			adjustment				
Suicide			Attempted				
definition			suicide definition				
Analysis method (e.g.							
multivariable (regression)	Cox						

SSRIs AS A CLASS VERSUS NO USE – COMPLETED AND ATTEMPTED SUICIDE

Suicide risk – SSRIs versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – SSRIs versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – SSRIs versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – SSRIs versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – SSRIs versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – SSRIs versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – SSRIs versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – SSRIs versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – SSRIs versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – SSRIs versus no use	Measure	OR/RR/HR	Age range	
Notes/comments				

INDIVIDUAL ANTIDPERESSANTS VERSUS NO USE - COMPLETED SUICIDE

Suicide risk – sertraline versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – paroxetine versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – fluoxetine versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – fluvoxamine versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – venlafaxine versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – other AD: versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – other AD:	Measure	OR/RR/HR	Age range	
versus no use				
Suicide risk – sertraline versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – paroxetine versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – fluoxetine versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – fluvoxamine versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – venlafaxine versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – other AD: versus no use	Measure	OR/RR/HR	Age range	
Suicide risk – other AD: versus no use	Measure	OR/RR/HR	Age range	

ID	
	l

INDIVIDUAL ANTIDPERESSANTS VERSUS NO USE - ATTEMPTED SUICIDE

Attempted suicide risk – sertraline versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – paroxetine versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – fluoxetine versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – fluvoxamine versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – venlafaxine versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – other AD:versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – other AD:versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – sertraline versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – paroxetine versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – fluoxetine versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – fluvoxamine versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – venlafaxine versus no use	Measure	OR/RR/HR	Age range	
Attempted suicide risk – other AD:versus no use	Measure	OR/RR/HR	Age range	
	1			
Attempted suicide risk – other AD:	Measure	OR/RR/HR	Age range	
versus no use				