

Appendix 2 (as supplied by the authors): Age and gender stratified utility norms, by province/territory

Table A2-1. Age and gender stratified utility norms for British Columbia

Male			Weighted Frequency	1,914,243	Female			Weighted Frequency	1,965,918
	Mean	95% Confidence Interval	Median	Interquartile range		Mean	95% Confidence Interval	Median	Interquartile range
Age group					Age group				
12 to 19	0.887	(0.873 - 0.902)	0.918	(0.824 - 0.981)	12 to 19	0.858	(0.839 - 0.876)	0.920	(0.766 - 0.973)
20 to 24	0.867	(0.837 - 0.897)	0.923	(0.818 - 0.980)	20 to 24	0.887	(0.860 - 0.913)	0.950	(0.873 - 0.977)
25 to 29	0.888	(0.859 - 0.917)	0.930	(0.865 - 0.982)	25 to 29	0.908	(0.892 - 0.924)	0.950	(0.892 - 0.982)
30 to 34	0.880	(0.853 - 0.906)	0.924	(0.858 - 0.978)	30 to 34	0.870	(0.844 - 0.897)	0.927	(0.850 - 0.980)
35 to 39	0.893	(0.871 - 0.916)	0.928	(0.865 - 0.981)	35 to 39	0.901	(0.880 - 0.922)	0.940	(0.884 - 0.981)
40 to 44	0.913	(0.895 - 0.930)	0.929	(0.875 - 0.982)	40 to 44	0.852	(0.823 - 0.880)	0.927	(0.793 - 0.974)
45 to 49	0.872	(0.838 - 0.906)	0.947	(0.840 - 0.978)	45 to 49	0.857	(0.833 - 0.882)	0.918	(0.785 - 0.972)

Appendix to: Guertin JR, Feeny D, Tarride JE. Age- and sex-specific Canadian utility norms, based on the 2013–2014 Canadian Community Health Survey.

CMAJ 2018. DOI:10.1503/cmaj.170317. Copyright © 2018 The Author(s) or their employer(s).

To receive this resource in an accessible format, please contact us at cmajgroup@cmaj.ca.

<i>50 to 54</i>	0.845	(0.820 - 0.871)	0.907	(0.834 - 0.961)	<i>50 to 54</i>	0.831	(0.801 - 0.862)	0.900	(0.763 - 0.960)
<i>55 to 59</i>	0.845	(0.817 - 0.873)	0.919	(0.790 - 0.966)	<i>55 to 59</i>	0.830	(0.802 - 0.857)	0.903	(0.777 - 0.960)
<i>60 to 64</i>	0.822	(0.793 - 0.851)	0.904	(0.793 - 0.960)	<i>60 to 64</i>	0.841	(0.822 - 0.860)	0.911	(0.782 - 0.959)
<i>65 to 69</i>	0.843	(0.820 - 0.866)	0.901	(0.782 - 0.963)	<i>65 to 69</i>	0.832	(0.812 - 0.852)	0.905	(0.774 - 0.960)
<i>70 to 74</i>	0.814	(0.781 - 0.847)	0.898	(0.764 - 0.958)	<i>70 to 74</i>	0.817	(0.790 - 0.844)	0.899	(0.744 - 0.957)
<i>75 to 79</i>	0.777	(0.734 - 0.820)	0.899	(0.656 - 0.961)	<i>75 to 79</i>	0.798	(0.765 - 0.831)	0.904	(0.696 - 0.956)
<i>80 to 84</i>	0.737	(0.691 - 0.784)	0.840	(0.640 - 0.924)	<i>80 to 84</i>	0.721	(0.667 - 0.775)	0.842	(0.538 - 0.948)
<i>85 and over</i>	0.648	(0.583 - 0.712)	0.727	(0.396 - 0.905)	<i>85 and over</i>	0.660	(0.604 - 0.716)	0.746	(0.437 - 0.904)
All ages	0.859	(0.852 - 0.865)	0.924	(0.826 - 0.974)	All ages	0.849	(0.842 - 0.856)	0.922	(0.793 - 0.968)

Utility scores were estimated for 14,742 respondents from British Columbia.

Table A2-1. Age and gender stratified utility norms for British Columbia (continued)

Total population			Weighted Frequency	3,880,161	
		Mean	95% Confidence Interval	Median	Interquartile range
Age group					
<i>12 to 19</i>	0.873	(0.861 - 0.885)	0.922	(0.799 - 0.978)	
<i>20 to 24</i>	0.877	(0.857 - 0.896)	0.929	(0.863 - 0.978)	
<i>25 to 29</i>	0.897	(0.881 - 0.914)	0.945	(0.881 - 0.982)	
<i>30 to 34</i>	0.875	(0.857 - 0.893)	0.926	(0.856 - 0.979)	
<i>35 to 39</i>	0.897	(0.883 - 0.912)	0.931	(0.870 - 0.981)	
<i>40 to 44</i>	0.881	(0.864 - 0.898)	0.928	(0.865 - 0.979)	
<i>45 to 49</i>	0.865	(0.843 - 0.887)	0.936	(0.797 - 0.976)	
<i>50 to 54</i>	0.838	(0.817 - 0.858)	0.903	(0.794 - 0.960)	
<i>55 to 59</i>	0.837	(0.817 - 0.857)	0.905	(0.785 - 0.962)	
<i>60 to 64</i>	0.832	(0.814 - 0.849)	0.909	(0.784 - 0.960)	

<i>65 to 69</i>	0.837	(0.823 - 0.852)	0.905	(0.778 - 0.961)
<i>70 to 74</i>	0.816	(0.796 - 0.836)	0.899	(0.762 - 0.957)
<i>75 to 79</i>	0.788	(0.760 - 0.816)	0.904	(0.668 - 0.958)
<i>80 to 84</i>	0.729	(0.692 - 0.765)	0.840	(0.622 - 0.940)
<i>85 and over</i>	0.655	(0.613 - 0.698)	0.743	(0.436 - 0.905)
All ages	0.854	(0.849 - 0.859)	0.923	(0.801 - 0.970)

Table A2-2. Age and gender stratified utility norms for Alberta

Male			Weighted Frequency	1,660,868		Female			Weighted Frequency	1,610,388
	Mean	95% Confidence Interval	Median	Interquartile range		Mean	95% Confidence Interval	Median	Interquartile range	
Age group					Age group					
12 to 19	0.874	(0.851 - 0.897)	0.925	(0.841 - 0.979)	12 to 19	0.865	(0.841 - 0.889)	0.925	(0.776 - 0.978)	
20 to 24	0.894	(0.865 - 0.922)	0.930	(0.866 - 0.982)	20 to 24	0.894	(0.873 - 0.915)	0.927	(0.889 - 0.975)	
25 to 29	0.901	(0.878 - 0.924)	0.929	(0.888 - 0.981)	25 to 29	0.903	(0.888 - 0.919)	0.930	(0.893 - 0.973)	
30 to 34	0.905	(0.886 - 0.923)	0.930	(0.863 - 0.983)	30 to 34	0.894	(0.863 - 0.925)	0.948	(0.891 - 0.979)	
35 to 39	0.890	(0.868 - 0.912)	0.928	(0.859 - 0.982)	35 to 39	0.897	(0.871 - 0.923)	0.950	(0.882 - 0.983)	
40 to 44	0.904	(0.881 - 0.927)	0.953	(0.893 - 0.981)	40 to 44	0.897	(0.871 - 0.923)	0.951	(0.861 - 0.979)	
45 to 49	0.860	(0.816 - 0.904)	0.946	(0.777 - 0.972)	45 to 49	0.847	(0.802 - 0.892)	0.904	(0.802 - 0.963)	
50 to 54	0.857	(0.816 - 0.899)	0.929	(0.890 - 0.970)	50 to 54	0.834	(0.800 - 0.867)	0.898	(0.770- 0.962)	

<i>55 to 59</i>	0.846	(0.817 - 0.875)	0.946	(0.808 - 0.967)		<i>55 to 59</i>	0.811	(0.779 - 0.843)	0.904	(0.727 - 0.957)
<i>60 to 64</i>	0.829	(0.784 - 0.874)	0.902	(0.804 - 0.959)		<i>60 to 64</i>	0.839	(0.815 - 0.862)	0.918	(0.775 - 0.961)
<i>65 to 69</i>	0.830	(0.795 - 0.866)	0.902	(0.783 - 0.959)		<i>65 to 69</i>	0.816	(0.785 - 0.847)	0.901	(0.743 - 0.957)
<i>70 to 74</i>	0.852	(0.822 - 0.882)	0.905	(0.817 - 0.960)		<i>70 to 74</i>	0.818	(0.781 - 0.855)	0.905	(0.739 - 0.957)
<i>75 to 79</i>	0.786	(0.741 - 0.831)	0.891	(0.615 - 0.956)		<i>75 to 79</i>	0.767	(0.713 - 0.820)	0.904	(0.618 - 0.949)
<i>80 to 84</i>	0.761	(0.716 - 0.807)	0.838	(0.618 - 0.926)		<i>80 to 84</i>	0.732	(0.668 - 0.795)	0.840	(0.592 - 0.944)
<i>85 and over</i>	0.657	(0.554 - 0.759)	0.714	(0.474 - 0.899)		<i>85 and over</i>	0.639	(0.557 - 0.721)	0.717	(0.383 - 0.931)
All ages	0.871	(0.862 - 0.879)	0.928	(0.842 - 0.976)		All ages	0.858	(0.850 - 0.866)	0.925	(0.827 - 0.970)

Utility scores were estimated for 11,549 respondents from Alberta.

Table A2-2. Age and gender stratified utility norms for Alberta (continued)

Total population			Weighted Frequency	3,271,255	
		Mean	95% Confidence Interval	Median	Interquartile range
Age group					
<i>12 to 19</i>	0.870	(0.852 - 0.887)	0.925	(0.820 - 0.978)	
<i>20 to 24</i>	0.894	(0.876 - 0.912)	0.929	(0.866 - 0.980)	
<i>25 to 29</i>	0.902	(0.889 - 0.916)	0.930	(0.892 - 0.977)	
<i>30 to 34</i>	0.900	(0.883 - 0.917)	0.936	(0.865 - 0.981)	
<i>35 to 39</i>	0.894	(0.877 - 0.910)	0.937	(0.865 - 0.982)	
<i>40 to 44</i>	0.900	(0.882 - 0.918)	0.952	(0.885 - 0.980)	
<i>45 to 49</i>	0.853	(0.820 - 0.886)	0.923	(0.796 - 0.967)	
<i>50 to 54</i>	0.845	(0.818 - 0.873)	0.918	(0.833 - 0.966)	
<i>55 to 59</i>	0.830	(0.808 - 0.852)	0.919	(0.771 - 0.962)	
<i>60 to 64</i>	0.834	(0.806 - 0.861)	0.904	(0.778 - 0.960)	

<i>65 to 69</i>	0.823	(0.799 - 0.847)	0.902	(0.771 - 0.958)
<i>70 to 74</i>	0.832	(0.809 - 0.856)	0.905	(0.778 - 0.958)
<i>75 to 79</i>	0.776	(0.739 - 0.814)	0.904	(0.618 - 0.957)
<i>80 to 84</i>	0.744	(0.704 - 0.785)	0.841	(0.603 - 0.937)
<i>85 and over</i>	0.646	(0.575 - 0.717)	0.719	(0.407 - 0.925)
All ages	0.864	(0.858 - 0.871)	0.926	(0.839 - 0.973)

Table A2-3. Age and gender stratified utility norms for Saskatchewan

Male			Weighted Frequency	425,379		Female			Weighted Frequency	423,488
	Mean	95% Confidence Interval	Median	Interquartile range		Mean	95% Confidence Interval	Median	Interquartile range	
Age group					Age group					
12 to 19	0.884	(0.861 - 0.906)	0.914	(0.826 - 0.979)	12 to 19	0.863	(0.845 - 0.882)	0.900	(0.765 - 0.976)	
20 to 24	0.876	(0.840 - 0.911)	0.924	(0.848 - 0.977)	20 to 24	0.915	(0.892 - 0.938)	0.946	(0.899 - 0.980)	
25 to 29	0.863	(0.827 - 0.899)	0.930	(0.796 - 0.978)	25 to 29	0.923	(0.898 - 0.948)	0.963	(0.903 - 0.984)	
30 to 34	0.887	(0.859 - 0.915)	0.927	(0.864 - 0.977)	30 to 34	0.898	(0.865 - 0.931)	0.950	(0.873 - 0.980)	
35 to 39	0.913	(0.882 - 0.943)	0.961	(0.923 - 0.984)	35 to 39	0.876	(0.843 - 0.910)	0.927	(0.803 - 0.974)	
40 to 44	0.854	(0.808 - 0.899)	0.909	(0.798 - 0.978)	40 to 44	0.851	(0.811 - 0.891)	0.925	(0.827 - 0.974)	
45 to 49	0.901	(0.865 - 0.937)	0.953	(0.866 - 0.978)	45 to 49	0.883	(0.844 - 0.922)	0.945	(0.893 - 0.963)	
50 to 54	0.856	(0.820 - 0.893)	0.915	(0.840 - 0.963)	50 to 54	0.860	(0.821 - 0.899)	0.926	(0.865 - 0.965)	

<i>55 to 59</i>	0.862	(0.827 - 0.896)	0.918	(0.856 - 0.960)		<i>55 to 59</i>	0.875	(0.853 - 0.898)	0.905	(0.850 - 0.959)
<i>60 to 64</i>	0.868	(0.843 - 0.892)	0.924	(0.831 - 0.964)		<i>60 to 64</i>	0.857	(0.824 - 0.890)	0.948	(0.840 - 0.963)
<i>65 to 69</i>	0.836	(0.807 - 0.864)	0.899	(0.739 - 0.957)		<i>65 to 69</i>	0.845	(0.817 - 0.873)	0.905	(0.831 - 0.957)
<i>70 to 74</i>	0.817	(0.778 - 0.856)	0.896	(0.781 - 0.954)		<i>70 to 74</i>	0.840	(0.808 - 0.871)	0.905	(0.789 - 0.959)
<i>75 to 79</i>	0.794	(0.737 - 0.850)	0.881	(0.738 - 0.927)		<i>75 to 79</i>	0.787	(0.746 - 0.829)	0.883	(0.669 - 0.946)
<i>80 to 84</i>	0.723	(0.655 - 0.790)	0.816	(0.569 - 0.899)		<i>80 to 84</i>	0.794	(0.757 - 0.831)	0.896	(0.726 - 0.942)
<i>85 and over</i>	0.732	(0.675 - 0.789)	0.839	(0.545 - 0.902)		<i>85 and over</i>	0.703	(0.654 - 0.751)	0.776	(0.520 - 0.930)
All ages	0.865	(0.855 - 0.876)	0.925	(0.832 - 0.971)		All ages	0.869	(0.860 - 0.878)	0.927	(0.835 - 0.969)

Utility scores were estimated for 6990 respondents from Saskatchewan.

Table A2-3. Age and gender stratified utility norms for Saskatchewan (continued)

Total population			Weighted Frequency	848,867
	Mean	95% Confidence Interval	Median	Interquartile range
Age group				
12 to 19	0.874	(0.860 - 0.888)	0.909	(0.766 - 0.978)
20 to 24	0.893	(0.872 - 0.915)	0.928	(0.871 - 0.979)
25 to 29	0.893	(0.872 - 0.914)	0.951	(0.884 - 0.982)
30 to 34	0.892	(0.870 - 0.915)	0.940	(0.866 - 0.979)
35 to 39	0.894	(0.870 - 0.918)	0.949	(0.882 - 0.980)
40 to 44	0.852	(0.822 - 0.883)	0.923	(0.800 - 0.976)
45 to 49	0.892	(0.865 - 0.918)	0.948	(0.891 - 0.969)
50 to 54	0.858	(0.831 - 0.885)	0.921	(0.851 - 0.964)
55 to 59	0.868	(0.847 - 0.889)	0.916	(0.852 - 0.959)
60 to 64	0.862	(0.842 - 0.883)	0.945	(0.838 - 0.963)

<i>65 to 69</i>	0.840	(0.820 - 0.861)	0.905	(0.775 - 0.957)
<i>70 to 74</i>	0.830	(0.805 - 0.854)	0.905	(0.784 - 0.957)
<i>75 to 79</i>	0.790	(0.755 - 0.825)	0.890	(0.679 - 0.950)
<i>80 to 84</i>	0.762	(0.725 - 0.800)	0.850	(0.623 - 0.933)
<i>85 and over</i>	0.714	(0.676 - 0.752)	0.782	(0.544 - 0.910)
All ages	0.867	(0.860 - 0.874)	0.926	(0.834 - 0.970)

Table A2-4. Age and gender stratified utility norms for Manitoba

Male			Weighted Frequency	487,895		Female			Weighted Frequency	495,387
	Mean	95% Confidence Interval	Median	Interquartile range		Mean	95% Confidence Interval	Median	Interquartile range	
Age group					Age group					
12 to 19	0.886	(0.866 - 0.905)	0.915	(0.822 - 0.980)	12 to 19	0.857	(0.828 - 0.886)	0.925	(0.744 - 0.980)	
20 to 24	0.830	(0.771 - 0.889)	0.914	(0.798 - 0.967)	20 to 24	0.888	(0.860 - 0.916)	0.945	(0.856 - 0.975)	
25 to 29	0.921	(0.899 - 0.943)	0.960	(0.887 - 0.986)	25 to 29	0.871	(0.832 - 0.909)	0.925	(0.865 - 0.973)	
30 to 34	0.917	(0.889 - 0.944)	0.953	(0.916 - 0.984)	30 to 34	0.872	(0.827 - 0.916)	0.929	(0.866 - 0.972)	
35 to 39	0.901	(0.869 - 0.933)	0.946	(0.866 - 0.981)	35 to 39	0.870	(0.837 - 0.902)	0.920	(0.827 - 0.967)	
40 to 44	0.896	(0.870 - 0.922)	0.938	(0.855 - 0.981)	40 to 44	0.900	(0.860 - 0.939)	0.937	(0.892 - 0.980)	
45 to 49	0.885	(0.841 - 0.929)	0.949	(0.862 - 0.981)	45 to 49	0.846	(0.795 - 0.897)	0.947	(0.765 - 0.966)	
50 to 54	0.865	(0.837 - 0.893)	0.903	(0.840 - 0.956)	50 to 54	0.832	(0.789 - 0.874)	0.907	(0.720 - 0.959)	

<i>55 to 59</i>	0.821	(0.779 - 0.864)	0.872	(0.686 - 0.958)		<i>55 to 59</i>	0.829	(0.797 - 0.861)	0.905	(0.742 - 0.959)
<i>60 to 64</i>	0.831	(0.798 - 0.865)	0.912	(0.747 - 0.962)		<i>60 to 64</i>	0.824	(0.788 - 0.859)	0.901	(0.770 - 0.959)
<i>65 to 69</i>	0.843	(0.817 - 0.870)	0.900	(0.773 - 0.957)		<i>65 to 69</i>	0.808	(0.758 - 0.857)	0.902	(0.769 - 0.962)
<i>70 to 74</i>	0.831	(0.788 - 0.874)	0.900	(0.743 - 0.954)		<i>70 to 74</i>	0.777	(0.724 - 0.830)	0.891	(0.661 - 0.958)
<i>75 to 79</i>	0.791	(0.739 - 0.843)	0.904	(0.641 - 0.946)		<i>75 to 79</i>	0.758	(0.697 - 0.820)	0.866	(0.615 - 0.944)
<i>80 to 84</i>	0.775	(0.700 - 0.850)	0.850	(0.636 - 0.949)		<i>80 to 84</i>	0.746	(0.692 - 0.800)	0.829	(0.666 - 0.904)
<i>85 and over</i>	0.684	(0.614 - 0.755)	0.693	(0.575 - 0.891)		<i>85 and over</i>	0.665	(0.602 - 0.727)	0.716	(0.476 - 0.896)
All ages	0.864	(0.854 - 0.875)	0.924	(0.826 - 0.974)		All ages	0.843	(0.832 - 0.853)	0.920	(0.777 - 0.966)

Utility scores were estimated for 7021 respondents from Manitoba.

Table A2-4. Age and gender stratified utility norms for Manitoba (continued)

Total population			Weighted Frequency	983,282
	Mean	95% Confidence Interval	Median	Interquartile range
Age group				
<i>12 to 19</i>	0.872	(0.855 - 0.889)	0.924	(0.802 - 0.980)
<i>20 to 24</i>	0.858	(0.823 - 0.892)	0.925	(0.840 - 0.973)
<i>25 to 29</i>	0.895	(0.872 - 0.918)	0.930	(0.875 - 0.981)
<i>30 to 34</i>	0.893	(0.866 - 0.921)	0.946	(0.891 - 0.980)
<i>35 to 39</i>	0.885	(0.864 - 0.905)	0.925	(0.865 - 0.977)
<i>40 to 44</i>	0.898	(0.876 - 0.920)	0.938	(0.861 - 0.981)
<i>45 to 49</i>	0.865	(0.831 - 0.899)	0.948	(0.835 - 0.974)
<i>50 to 54</i>	0.847	(0.822 - 0.873)	0.904	(0.771 - 0.958)
<i>55 to 59</i>	0.825	(0.800 - 0.850)	0.904	(0.716 - 0.959)
<i>60 to 64</i>	0.828	(0.803 - 0.852)	0.904	(0.755 - 0.960)

<i>65 to 69</i>	0.824	(0.793 - 0.854)	0.901	(0.771 - 0.960)
<i>70 to 74</i>	0.804	(0.771 - 0.836)	0.899	(0.708 - 0.957)
<i>75 to 79</i>	0.772	(0.730 - 0.815)	0.904	(0.625 - 0.949)
<i>80 to 84</i>	0.759	(0.715 - 0.803)	0.834	(0.648 - 0.949)
<i>85 and over</i>	0.672	(0.622 - 0.721)	0.710	(0.517 - 0.895)
All ages	0.853	(0.846 - 0.861)	0.922	(0.793 - 0.969)

Table A2-5. Age and gender stratified utility norms for Ontario

Male			Weighted Frequency	5,593,471		Female			Weighted Frequency	5,829,772
	Mean	95% Confidence Interval	Median	Interquartile range		Mean	95% Confidence Interval	Median	Interquartile range	
Age group					Age group					
12 to 19	0.896	(0.888 - 0.904)	0.927	(0.865 - 0.982)	12 to 19	0.881	(0.870 - 0.892)	0.927	(0.840 - 0.980)	
20 to 24	0.895	(0.881 - 0.910)	0.930	(0.866 - 0.982)	20 to 24	0.889	(0.875 - 0.904)	0.931	(0.865 - 0.977)	
25 to 29	0.903	(0.889 - 0.916)	0.949	(0.882 - 0.983)	25 to 29	0.898	(0.883 - 0.912)	0.950	(0.892 - 0.981)	
30 to 34	0.911	(0.892 - 0.931)	0.955	(0.903 - 0.984)	30 to 34	0.885	(0.867 - 0.902)	0.946	(0.866 - 0.981)	
35 to 39	0.895	(0.874 - 0.915)	0.957	(0.904 - 0.984)	35 to 39	0.875	(0.858 - 0.892)	0.931	(0.857 - 0.979)	
40 to 44	0.898	(0.882 - 0.914)	0.952	(0.892 - 0.982)	40 to 44	0.868	(0.847 - 0.888)	0.945	(0.865 - 0.977)	
45 to 49	0.866	(0.847 - 0.885)	0.924	(0.852 - 0.968)	45 to 49	0.860	(0.839 - 0.882)	0.924	(0.841 - 0.966)	
50 to 54	0.841	(0.809 - 0.872)	0.922	(0.841 - 0.966)	50 to 54	0.832	(0.808 - 0.855)	0.932	(0.793 - 0.964)	

<i>55 to 59</i>	0.839	(0.820 - 0.858)	0.930	(0.802 - 0.963)		<i>55 to 59</i>	0.822	(0.806 - 0.838)	0.905	(0.743 - 0.959)
<i>60 to 64</i>	0.833	(0.815 - 0.850)	0.915	(0.782 - 0.962)		<i>60 to 64</i>	0.831	(0.816 - 0.847)	0.912	(0.778 - 0.961)
<i>65 to 69</i>	0.840	(0.822 - 0.857)	0.919	(0.783 - 0.962)		<i>65 to 69</i>	0.824	(0.808 - 0.840)	0.906	(0.744 - 0.961)
<i>70 to 74</i>	0.836	(0.816 - 0.857)	0.905	(0.781 - 0.960)		<i>70 to 74</i>	0.823	(0.807 - 0.839)	0.905	(0.777 - 0.957)
<i>75 to 79</i>	0.797	(0.770 - 0.823)	0.904	(0.710 - 0.958)		<i>75 to 79</i>	0.754	(0.727 - 0.781)	0.852	(0.618 - 0.950)
<i>80 to 84</i>	0.734	(0.692 - 0.775)	0.839	(0.641 - 0.949)		<i>80 to 84</i>	0.707	(0.675 - 0.739)	0.841	(0.538 - 0.946)
<i>85 and over</i>	0.698	(0.656 - 0.740)	0.780	(0.574 - 0.905)		<i>85 and over</i>	0.570	(0.527 - 0.613)	0.617	(0.326 - 0.853)
All ages	0.868	(0.862 - 0.873)	0.929	(0.842 - 0.975)		All ages	0.848	(0.842 - 0.853)	0.925	(0.801 - 0.969)

Utility scores were estimated for 41,106 respondents from Ontario.

Table A2-5. Age and gender stratified utility norms for Ontario (continued)

Total population			Weighted Frequency	11,423,243
	Mean	95% Confidence Interval	Median	Interquartile range
Age group				
<i>12 to 19</i>	0.889	(0.882 - 0.896)	0.927	(0.863 - 0.981)
<i>20 to 24</i>	0.892	(0.882 - 0.903)	0.931	(0.866 - 0.980)
<i>25 to 29</i>	0.900	(0.890 - 0.910)	0.950	(0.888 - 0.982)
<i>30 to 34</i>	0.897	(0.885 - 0.910)	0.950	(0.891 - 0.983)
<i>35 to 39</i>	0.884	(0.871 - 0.897)	0.948	(0.866 - 0.982)
<i>40 to 44</i>	0.883	(0.870 - 0.895)	0.948	(0.866 - 0.979)
<i>45 to 49</i>	0.863	(0.848 - 0.878)	0.924	(0.848 - 0.967)
<i>50 to 54</i>	0.836	(0.817 - 0.855)	0.924	(0.833 - 0.965)
<i>55 to 59</i>	0.830	(0.818 - 0.843)	0.919	(0.777 - 0.961)
<i>60 to 64</i>	0.832	(0.819 - 0.844)	0.913	(0.778 - 0.962)

<i>65 to 69</i>	0.831	(0.819 - 0.843)	0.918	(0.777 - 0.961)
<i>70 to 74</i>	0.829	(0.817 - 0.842)	0.905	(0.778 - 0.959)
<i>75 to 79</i>	0.774	(0.754 - 0.794)	0.904	(0.667 - 0.954)
<i>80 to 84</i>	0.718	(0.694 - 0.742)	0.841	(0.575 - 0.948)
<i>85 and over</i>	0.615	(0.582 - 0.647)	0.688	(0.400 - 0.901)
All ages	0.857	(0.854 - 0.861)	0.927	(0.835 - 0.972)

Table A2-6. Age and gender stratified utility norms for Quebec

Male			Weighted Frequency	3,402,807		Female			Weighted Frequency	3,465,176
	Mean	95% Confidence Interval	Median	Interquartile range		Mean	95% Confidence Interval	Median	Interquartile range	
Age group					Age group					
12 to 19	0.898	(0.886 - 0.909)	0.928	(0.866 - 0.981)	12 to 19	0.903	(0.891 - 0.915)	0.949	(0.866 - 0.983)	
20 to 24	0.911	(0.898 - 0.924)	0.928	(0.904 - 0.979)	20 to 24	0.898	(0.876 - 0.919)	0.948	(0.864 - 0.979)	
25 to 29	0.921	(0.905 - 0.937)	0.955	(0.901 - 0.984)	25 to 29	0.917	(0.904 - 0.930)	0.954	(0.893 - 0.980)	
30 to 34	0.887	(0.860 - 0.914)	0.950	(0.890 - 0.983)	30 to 34	0.925	(0.914 - 0.935)	0.959	(0.899 - 0.983)	
35 to 39	0.917	(0.903 - 0.931)	0.954	(0.904 - 0.984)	35 to 39	0.917	(0.903 - 0.931)	0.957	(0.890 - 0.983)	
40 to 44	0.911	(0.893 - 0.929)	0.949	(0.904 - 0.981)	40 to 44	0.880	(0.850 - 0.911)	0.952	(0.866 - 0.980)	
45 to 49	0.889	(0.867 - 0.912)	0.937	(0.892 - 0.969)	45 to 49	0.877	(0.857 - 0.897)	0.919	(0.843 - 0.967)	
50 to 54	0.894	(0.878 - 0.911)	0.949	(0.860 - 0.967)	50 to 54	0.874	(0.853 - 0.894)	0.948	(0.844 - 0.963)	

<i>55 to 59</i>	0.877	(0.854 - 0.900)	0.946	(0.854 - 0.963)		<i>55 to 59</i>	0.860	(0.842 - 0.878)	0.925	(0.834 - 0.961)
<i>60 to 64</i>	0.882	(0.867 - 0.897)	0.947	(0.863 - 0.966)		<i>60 to 64</i>	0.866	(0.852 - 0.880)	0.933	(0.834 - 0.962)
<i>65 to 69</i>	0.877	(0.861 - 0.893)	0.929	(0.864 - 0.962)		<i>65 to 69</i>	0.865	(0.852 - 0.879)	0.916	(0.834 - 0.960)
<i>70 to 74</i>	0.872	(0.850 - 0.895)	0.945	(0.850 - 0.964)		<i>70 to 74</i>	0.867	(0.849 - 0.884)	0.932	(0.837 - 0.963)
<i>75 to 79</i>	0.865	(0.845 - 0.886)	0.918	(0.834 - 0.961)		<i>75 to 79</i>	0.809	(0.785 - 0.833)	0.893	(0.737 - 0.958)
<i>80 to 84</i>	0.776	(0.730 - 0.823)	0.898	(0.712 - 0.959)		<i>80 to 84</i>	0.778	(0.741 - 0.816)	0.904	(0.692 - 0.958)
<i>85 and over</i>	0.683	(0.617 - 0.749)	0.803	(0.545 - 0.905)		<i>85 and over</i>	0.636	(0.590 - 0.682)	0.777	(0.373 - 0.916)
All ages	0.890	(0.884 - 0.896)	0.943	(0.872 - 0.974)		All ages	0.878	(0.873 - 0.883)	0.946	(0.853 - 0.971)

Utility scores were estimated for 23,620 respondents from Quebec.

Table A2-6. Age and gender stratified utility norms for Quebec (continued)

Total population			Weighted Frequency	6,867,983
	Mean	95% Confidence Interval	Median	Interquartile range
Age group				
<i>12 to 19</i>	0.900	(0.892 - 0.909)	0.930	(0.866 - 0.982)
<i>20 to 24</i>	0.905	(0.893 - 0.916)	0.930	(0.880 - 0.979)
<i>25 to 29</i>	0.919	(0.909 - 0.929)	0.954	(0.897 - 0.982)
<i>30 to 34</i>	0.906	(0.891 - 0.920)	0.955	(0.895 - 0.983)
<i>35 to 39</i>	0.917	(0.907 - 0.927)	0.956	(0.904 - 0.983)
<i>40 to 44</i>	0.896	(0.879 - 0.914)	0.951	(0.895 - 0.981)
<i>45 to 49</i>	0.883	(0.869 - 0.898)	0.929	(0.866 - 0.968)
<i>50 to 54</i>	0.884	(0.870 - 0.897)	0.948	(0.851 - 0.965)
<i>55 to 59</i>	0.869	(0.854 - 0.883)	0.945	(0.841 - 0.962)
<i>60 to 64</i>	0.873	(0.863 - 0.884)	0.945	(0.840 - 0.964)

<i>65 to 69</i>	0.871	(0.861 - 0.880)	0.922	(0.841 - 0.961)
<i>70 to 74</i>	0.870	(0.855 - 0.884)	0.940	(0.841 - 0.963)
<i>75 to 79</i>	0.834	(0.817 - 0.851)	0.905	(0.778 - 0.959)
<i>80 to 84</i>	0.777	(0.747 - 0.808)	0.904	(0.695 - 0.958)
<i>85 and over</i>	0.651	(0.613 - 0.690)	0.779	(0.421 - 0.915)
All ages	0.884	(0.880 - 0.888)	0.945	(0.864 - 0.972)

Table A2-7. Age and gender stratified utility norms for New Brunswick

Male			Weighted Frequency	303,593		Female			Weighted Frequency	320,930
	Mean	95% Confidence Interval	Median	Interquartile range		Mean	95% Confidence Interval	Median	Interquartile range	
Age group					Age group					
12 to 19	0.891	(0.864 - 0.918)	0.929	(0.864 - 0.984)	12 to 19	0.918	(0.900 - 0.936)	0.942	(0.895 - 0.983)	
20 to 24	0.890	(0.838 - 0.941)	0.943	(0.888 - 0.985)	20 to 24	0.858	(0.807 - 0.910)	0.919	(0.805 - 0.976)	
25 to 29	0.930	(0.903 - 0.958)	0.967	(0.900 - 0.986)	25 to 29	0.899	(0.859 - 0.938)	0.954	(0.866 - 0.983)	
30 to 34	0.902	(0.865 - 0.938)	0.922	(0.884 - 0.979)	30 to 34	0.867	(0.817 - 0.917)	0.942	(0.839 - 0.978)	
35 to 39	0.848	(0.792 - 0.905)	0.923	(0.770 - 0.983)	35 to 39	0.875	(0.829 - 0.921)	0.927	(0.865 - 0.979)	
40 to 44	0.881	(0.843 - 0.919)	0.926	(0.858 - 0.980)	40 to 44	0.882	(0.851 - 0.913)	0.924	(0.854 - 0.964)	
45 to 49	0.885	(0.837 - 0.932)	0.948	(0.866 - 0.971)	45 to 49	0.845	(0.799 - 0.891)	0.921	(0.797 - 0.960)	
50 to 54	0.823	(0.774 - 0.871)	0.895	(0.756 - 0.956)	50 to 54	0.831	(0.793 - 0.870)	0.903	(0.794 - 0.951)	

<i>55 to 59</i>	0.856	(0.821 - 0.890)	0.912	(0.842 - 0.958)		<i>55 to 59</i>	0.761	(0.717 - 0.806)	0.885	(0.656 - 0.955)
<i>60 to 64</i>	0.801	(0.751 - 0.852)	0.901	(0.742 - 0.957)		<i>60 to 64</i>	0.808	(0.769 - 0.848)	0.905	(0.767 - 0.956)
<i>65 to 69</i>	0.829	(0.785 - 0.873)	0.902	(0.825 - 0.958)		<i>65 to 69</i>	0.844	(0.816 - 0.872)	0.898	(0.781 - 0.958)
<i>70 to 74</i>	0.785	(0.737 - 0.833)	0.875	(0.686 - 0.948)		<i>70 to 74</i>	0.810	(0.767 - 0.852)	0.896	(0.726 - 0.952)
<i>75 to 79</i>	0.785	(0.729 - 0.841)	0.829	(0.661 - 0.938)		<i>75 to 79</i>	0.747	(0.696 - 0.797)	0.840	(0.612 - 0.951)
<i>80 to 84</i>	0.699	(0.618 - 0.781)	0.735	(0.515 - 0.949)		<i>80 to 84</i>	0.740	(0.678 - 0.801)	0.850	(0.646 - 0.930)
<i>85 and over</i>	0.609	(0.519 - 0.698)	0.655	(0.375 - 0.808)		<i>85 and over</i>	0.596	(0.507 - 0.685)	0.678	(0.407 - 0.855)
All ages	0.852	(0.840 - 0.864)	0.925	(0.830 - 0.973)		All ages	0.839	(0.828 - 0.850)	0.920	(0.795 - 0.965)

Utility scores were estimated for 4752 respondents from New Brunswick.

Table A2-7. Age and gender stratified utility norms for New Brunswick (continued)

Total population		Weighted Frequency	624,524			
			Mean	95% Confidence Interval	Median	Interquartile range
Age group						
<i>12 to 19</i>	0.904	(0.888 - 0.920)	0.936	(0.882 - 0.984)		
<i>20 to 24</i>	0.875	(0.840 - 0.909)	0.928	(0.878 - 0.982)		
<i>25 to 29</i>	0.914	(0.891 - 0.936)	0.957	(0.888 - 0.985)		
<i>30 to 34</i>	0.884	(0.852 - 0.916)	0.926	(0.866 - 0.978)		
<i>35 to 39</i>	0.863	(0.828 - 0.898)	0.925	(0.839 - 0.981)		
<i>40 to 44</i>	0.882	(0.857 - 0.906)	0.927	(0.858 - 0.975)		
<i>45 to 49</i>	0.864	(0.831 - 0.898)	0.929	(0.853 - 0.966)		
<i>50 to 54</i>	0.827	(0.796 - 0.858)	0.899	(0.776 - 0.957)		
<i>55 to 59</i>	0.804	(0.775 - 0.833)	0.901	(0.774 - 0.958)		
<i>60 to 64</i>	0.805	(0.774 - 0.836)	0.905	(0.743 - 0.956)		

<i>65 to 69</i>	0.837	(0.812 - 0.862)	0.903	(0.786 - 0.958)
<i>70 to 74</i>	0.798	(0.766 - 0.829)	0.895	(0.700 - 0.954)
<i>75 to 79</i>	0.764	(0.729 - 0.800)	0.839	(0.645 - 0.950)
<i>80 to 84</i>	0.724	(0.674 - 0.775)	0.839	(0.606 - 0.946)
<i>85 and over</i>	0.602	(0.539 - 0.665)	0.681	(0.386 - 0.839)
All ages	0.846	(0.837 - 0.854)	0.923	(0.809 - 0.969)

Table A2-8. Age and gender stratified utility norms for Nova Scotia

Male			Weighted Frequency	379,012		Female			Weighted Frequency	408,938
	Mean	95% Confidence Interval	Median	Interquartile range		Mean	95% Confidence Interval	Median	Interquartile range	
Age group					Age group					
12 to 19	0.896	(0.874 - 0.918)	0.928	(0.878 - 0.983)	12 to 19	0.856	(0.823 - 0.888)	0.922	(0.763 - 0.975)	
20 to 24	0.868	(0.837 - 0.900)	0.900	(0.793 - 0.975)	20 to 24	0.823	(0.775 - 0.871)	0.900	(0.744 - 0.953)	
25 to 29	0.878	(0.837 - 0.919)	0.923	(0.864 - 0.979)	25 to 29	0.842	(0.802 - 0.881)	0.921	(0.827 - 0.942)	
30 to 34	0.865	(0.807 - 0.923)	0.929	(0.827 - 0.975)	30 to 34	0.904	(0.877 - 0.930)	0.931	(0.894 - 0.975)	
35 to 39	0.875	(0.825 - 0.925)	0.929	(0.865 - 0.981)	35 to 39	0.812	(0.760 - 0.864)	0.918	(0.695 - 0.977)	
40 to 44	0.865	(0.818 - 0.912)	0.928	(0.859 - 0.965)	40 to 44	0.902	(0.875 - 0.930)	0.949	(0.882 - 0.979)	
45 to 49	0.847	(0.771 - 0.922)	0.903	(0.797 - 0.960)	45 to 49	0.869	(0.812 - 0.927)	0.935	(0.867 - 0.960)	
50 to 54	0.820	(0.772 - 0.869)	0.905	(0.800 - 0.952)	50 to 54	0.809	(0.757 - 0.861)	0.903	(0.741 - 0.961)	

<i>55 to 59</i>	0.800	(0.757 - 0.843)	0.922	(0.662 - 0.961)		<i>55 to 59</i>	0.787	(0.748 - 0.826)	0.904	(0.713 - 0.954)
<i>60 to 64</i>	0.794	(0.757 - 0.832)	0.896	(0.686 - 0.951)		<i>60 to 64</i>	0.799	(0.765 - 0.833)	0.892	(0.664 - 0.958)
<i>65 to 69</i>	0.816	(0.778 - 0.854)	0.903	(0.712 - 0.960)		<i>65 to 69</i>	0.844	(0.814 - 0.874)	0.903	(0.778 - 0.959)
<i>70 to 74</i>	0.786	(0.737 - 0.835)	0.893	(0.634 - 0.956)		<i>70 to 74</i>	0.830	(0.799 - 0.862)	0.904	(0.759 - 0.951)
<i>75 to 79</i>	0.773	(0.728 - 0.819)	0.892	(0.618 - 0.953)		<i>75 to 79</i>	0.775	(0.734 - 0.815)	0.841	(0.663 - 0.923)
<i>80 to 84</i>	0.715	(0.601 - 0.829)	0.841	(0.602 - 0.904)		<i>80 to 84</i>	0.780	(0.738 - 0.822)	0.885	(0.667 - 0.947)
<i>85 and over</i>	0.736	(0.631 - 0.842)	0.806	(0.558 - 0.957)		<i>85 and over</i>	0.627	(0.551 - 0.704)	0.688	(0.345 - 0.893)
All ages	0.839	(0.826 - 0.851)	0.921	(0.794 - 0.966)		All ages	0.829	(0.818 - 0.840)	0.916	(0.767 - 0.962)

Utility scores were estimated for 5019 respondents from Nova Scotia.

Table A2-8. Age and gender stratified utility norms for Nova Scotia (continued)

Total population		Weighted Frequency	787,950			
			Mean	95% Confidence Interval	Median	Interquartile range
Age group						
<i>12 to 19</i>	0.876	(0.857 - 0.895)	0.925	(0.841 - 0.980)		
<i>20 to 24</i>	0.845	(0.815 - 0.875)	0.901	(0.765 - 0.970)		
<i>25 to 29</i>	0.860	(0.832 - 0.889)	0.924	(0.839 - 0.973)		
<i>30 to 34</i>	0.885	(0.854 - 0.916)	0.930	(0.865 - 0.975)		
<i>35 to 39</i>	0.842	(0.802 - 0.881)	0.926	(0.712 - 0.979)		
<i>40 to 44</i>	0.884	(0.858 - 0.911)	0.931	(0.873 - 0.974)		
<i>45 to 49</i>	0.857	(0.808 - 0.905)	0.925	(0.835 - 0.963)		
<i>50 to 54</i>	0.815	(0.781 - 0.848)	0.905	(0.755 - 0.960)		
<i>55 to 59</i>	0.792	(0.762 - 0.823)	0.905	(0.686 - 0.957)		
<i>60 to 64</i>	0.797	(0.772 - 0.821)	0.894	(0.666 - 0.958)		

<i>65 to 69</i>	0.830	(0.806 - 0.854)	0.903	(0.742 - 0.960)
<i>70 to 74</i>	0.809	(0.779 - 0.839)	0.904	(0.689 - 0.957)
<i>75 to 79</i>	0.774	(0.745 - 0.803)	0.847	(0.652 - 0.948)
<i>80 to 84</i>	0.760	(0.716 - 0.804)	0.881	(0.659 - 0.931)
<i>85 and over</i>	0.665	(0.603 - 0.727)	0.736	(0.459 - 0.914)
All ages	0.834	(0.825 - 0.842)	0.919	(0.777 - 0.964)

Table A2-9. Age and gender stratified utility norms for Prince Edward's Island

Male			Weighted Frequency	59,227		Female			Weighted Frequency	62,628
	Mean	95% Confidence Interval	Median	Interquartile range		Mean	95% Confidence Interval	Median	Interquartile range	
Age group					Age group					
<i>12 to 19</i>	0.873	(0.829 - 0.918)	0.925	(0.764 - 0.983)	<i>12 to 19</i>	0.894	(0.865 - 0.924)	0.913	(0.866 - 0.978)	
<i>20 to 24</i>	0.879	(0.828 - 0.930)	0.919	(0.780 - 0.976)	<i>20 to 24</i>	0.878	(0.824 - 0.931)	0.920	(0.852 - 0.966)	
<i>25 to 29</i>	0.760	(0.629 - 0.890)	0.906	(0.572 - 0.947)	<i>25 to 29</i>	0.869	(0.812 - 0.926)	0.921	(0.858 - 0.978)	
<i>30 to 34</i>	0.924	(0.880 - 0.968)	0.947	(0.894 - 0.984)	<i>30 to 34</i>	0.861	(0.812 - 0.911)	0.925	(0.829 - 0.977)	
<i>35 to 39</i>	0.834	(0.763 - 0.905)	0.906	(0.759 - 0.979)	<i>35 to 39</i>	0.887	(0.843 - 0.931)	0.932	(0.864 - 0.975)	
<i>40 to 44</i>	0.919	(0.875 - 0.963)	0.959	(0.866 - 0.984)	<i>40 to 44</i>	0.887	(0.833 - 0.941)	0.945	(0.866 - 0.981)	
<i>45 to 49</i>	0.879	(0.82 - 0.939)	0.920	(0.845 - 0.956)	<i>45 to 49</i>	0.855	(0.779 - 0.932)	0.921	(0.788 - 0.964)	

<i>50 to 54</i>	0.834	(0.744 - 0.923)	0.935	(0.867 - 0.962)		<i>50 to 54</i>	0.808	(0.750 - 0.867)	0.883	(0.687 - 0.956)
<i>55 to 59</i>	0.843	(0.782 - 0.904)	0.902	(0.820 - 0.957)		<i>55 to 59</i>	0.811	(0.740 - 0.882)	0.889	(0.773 - 0.947)
<i>60 to 64</i>	0.824	(0.763 - 0.884)	0.904	(0.776 - 0.951)		<i>60 to 64</i>	0.811	(0.765 - 0.858)	0.896	(0.660 - 0.951)
<i>65 to 69</i>	0.864	(0.825 - 0.903)	0.925	(0.845 - 0.959)		<i>65 to 69</i>	0.878	(0.846 - 0.910)	0.923	(0.845 - 0.961)
<i>70 to 74</i>	0.811	(0.734 - 0.887)	0.867	(0.777 - 0.936)		<i>70 to 74</i>	0.852	(0.784 - 0.920)	0.899	(0.831 - 0.957)
<i>75 to 79</i>	0.797	(0.745 - 0.848)	0.826	(0.657 - 0.924)		<i>75 to 79</i>	0.835	(0.788 - 0.882)	0.871	(0.756 - 0.930)
<i>80 to 84</i>	0.768	(0.662 - 0.874)	0.839	(0.702 - 0.903)		<i>80 to 84</i>	0.744	(0.659 - 0.830)	0.830	(0.531 - 0.947)
<i>85 and over</i>	0.784	(0.633 - 0.935)	0.892	(0.690 - 0.923)		<i>85 and over</i>	0.616	(0.503 - 0.729)	0.677	(0.308 - 0.872)
All ages	0.851	(0.831 - 0.870)	0.923	(0.818 - 0.968)		All ages	0.847	(0.832 - 0.861)	0.905	(0.794 - 0.965)

Utility scores were estimated for 1903 respondents from Prince Edward's Island.

Table A2-9. Age and gender stratified utility norms for Prince Edward's Island (continued)

Total population			Weighted Frequency	121,855
	Mean	95% Confidence Interval	Median	Interquartile range
Age group				
<i>12 to 19</i>	0.883	(0.856 - 0.911)	0.920	(0.850 - 0.981)
<i>20 to 24</i>	0.879	(0.842 - 0.915)	0.920	(0.865 - 0.973)
<i>25 to 29</i>	0.829	(0.773 - 0.886)	0.915	(0.742 - 0.978)
<i>30 to 34</i>	0.893	(0.860 - 0.926)	0.944	(0.851 - 0.981)
<i>35 to 39</i>	0.862	(0.822 - 0.902)	0.923	(0.833 - 0.977)
<i>40 to 44</i>	0.901	(0.866 - 0.936)	0.951	(0.866 - 0.982)

<i>45 to 49</i>	0.865	(0.818 - 0.913)	0.925	(0.842 - 0.962)
<i>50 to 54</i>	0.820	(0.769 - 0.871)	0.899	(0.760 - 0.962)
<i>55 to 59</i>	0.830	(0.786 - 0.874)	0.899	(0.800 - 0.957)
<i>60 to 64</i>	0.817	(0.781 - 0.854)	0.900	(0.721 - 0.951)
<i>65 to 69</i>	0.871	(0.845 - 0.896)	0.924	(0.849 - 0.960)
<i>70 to 74</i>	0.832	(0.782 - 0.881)	0.884	(0.804 - 0.954)
<i>75 to 79</i>	0.816	(0.78 - 0.852)	0.851	(0.726 - 0.934)
<i>80 to 84</i>	0.751	(0.687 - 0.816)	0.880	(0.535 - 0.943)
<i>85 and over</i>	0.671	(0.576 - 0.767)	0.782	(0.419 - 0.899)
All ages	0.849	(0.837 - 0.861)	0.920	(0.802 - 0.966)

Table A2-10. Age and gender stratified utility norms for Newfoundland and Labrador

Male			Weighted Frequency	214,112		Female			Weighted Frequency	223,624
	Mean	95% Confidence Interval	Median	Interquartile range		Mean	95% Confidence Interval	Median	Interquartile range	
Age group					Age group					
12 to 19	0.889	(0.864 - 0.913)	0.928	(0.850 - 0.982)	12 to 19	0.852	(0.823 - 0.880)	0.922	(0.759 - 0.973)	
20 to 24	0.890	(0.858 - 0.922)	0.924	(0.823 - 0.974)	20 to 24	0.896	(0.856 - 0.936)	0.949	(0.896 - 0.981)	
25 to 29	0.869	(0.799 - 0.939)	0.931	(0.854 - 0.978)	25 to 29	0.882	(0.848 - 0.916)	0.916	(0.840 - 0.978)	
30 to 34	0.925	(0.881 - 0.969)	0.975	(0.920 - 0.987)	30 to 34	0.873	(0.825 - 0.921)	0.926	(0.892 - 0.979)	
35 to 39	0.907	(0.865 - 0.948)	0.971	(0.888 - 0.986)	35 to 39	0.908	(0.876 - 0.939)	0.931	(0.896 - 0.979)	
40 to 44	0.896	(0.859 - 0.934)	0.951	(0.854 - 0.984)	40 to 44	0.890	(0.853 - 0.927)	0.951	(0.864 - 0.980)	
45 to 49	0.869	(0.821 - 0.917)	0.922	(0.856 - 0.975)	45 to 49	0.860	(0.815 - 0.905)	0.922	(0.759 - 0.973)	
50 to 54	0.844	(0.771 - 0.916)	0.941	(0.885 - 0.972)	50 to 54	0.848	(0.810 - 0.886)	0.901	(0.780 - 0.967)	

<i>55 to 59</i>	0.884	(0.843 - 0.924)	0.952	(0.878 - 0.973)		<i>55 to 59</i>	0.880	(0.850 - 0.910)	0.951	(0.866 - 0.966)
<i>60 to 64</i>	0.870	(0.836 - 0.904)	0.925	(0.865 - 0.962)		<i>60 to 64</i>	0.853	(0.820 - 0.886)	0.925	(0.831 - 0.963)
<i>65 to 69</i>	0.859	(0.826 - 0.892)	0.946	(0.814 - 0.965)		<i>65 to 69</i>	0.823	(0.786 - 0.861)	0.907	(0.770 - 0.961)
<i>70 to 74</i>	0.830	(0.763 - 0.896)	0.910	(0.755 - 0.952)		<i>70 to 74</i>	0.758	(0.682 - 0.834)	0.904	(0.608 - 0.944)
<i>75 to 79</i>	0.864	(0.822 - 0.907)	0.899	(0.806 - 0.958)		<i>75 to 79</i>	0.820	(0.769 - 0.870)	0.907	(0.781 - 0.951)
<i>80 to 84</i>	0.714	(0.632 - 0.796)	0.829	(0.544 - 0.891)		<i>80 to 84</i>	0.745	(0.659 - 0.832)	0.886	(0.621 - 0.939)
<i>85 and over</i>	0.679	(0.531 - 0.828)	0.714	(0.474 - 0.876)		<i>85 and over</i>	0.719	(0.603 - 0.835)	0.819	(0.553 - 0.951)
All ages	0.873	(0.860 - 0.886)	0.930	(0.854 - 0.977)		All ages	0.858	(0.847 - 0.868)	0.927	(0.836 - 0.969)

Utility scores were estimated for 3804 respondents from Newfoundland and Labrador.

Table A2-10. Age and gender stratified utility norms for Newfoundland and Labrador (continued)

Total population		Weighted Frequency	437,736		
		Mean	95% Confidence Interval	Median	Interquartile range
Age group					
<i>12 to 19</i>	0.870	(0.852 - 0.889)	0.925	(0.771 - 0.979)	
<i>20 to 24</i>	0.893	(0.869 - 0.917)	0.928	(0.866 - 0.978)	
<i>25 to 29</i>	0.876	(0.840 - 0.911)	0.923	(0.853 - 0.978)	
<i>30 to 34</i>	0.902	(0.868 - 0.936)	0.956	(0.900 - 0.985)	
<i>35 to 39</i>	0.907	(0.880 - 0.935)	0.950	(0.894 - 0.983)	
<i>40 to 44</i>	0.893	(0.866 - 0.921)	0.951	(0.859 - 0.982)	
<i>45 to 49</i>	0.864	(0.830 - 0.899)	0.922	(0.854 - 0.968)	
<i>50 to 54</i>	0.846	(0.808 - 0.883)	0.947	(0.823 - 0.970)	
<i>55 to 59</i>	0.882	(0.857 - 0.906)	0.952	(0.878 - 0.969)	
<i>60 to 64</i>	0.861	(0.838 - 0.884)	0.925	(0.840 - 0.964)	

<i>65 to 69</i>	0.841	(0.816 - 0.867)	0.921	(0.795 - 0.963)
<i>70 to 74</i>	0.788	(0.734 - 0.842)	0.905	(0.698 - 0.948)
<i>75 to 79</i>	0.839	(0.806 - 0.873)	0.901	(0.783 - 0.958)
<i>80 to 84</i>	0.728	(0.670 - 0.786)	0.842	(0.551 - 0.919)
<i>85 and over</i>	0.704	(0.611 - 0.796)	0.785	(0.510 - 0.938)
All ages	0.865	(0.857 - 0.874)	0.928	(0.842 - 0.973)

Table A2-11. Age and gender stratified utility norms for Yukon, Northwest Territories and Nunavut

Male			Weighted Frequency	46,369		Female			Weighted Frequency	44,145
	Mean	95% Confidence Interval	Median	Interquartile range		Mean	95% Confidence Interval	Median	Interquartile range	
Age group					Age group					
12 to 19	0.867	(0.847 - 0.888)	0.910	(0.763 - 0.977)	12 to 19	0.872	(0.847 - 0.897)	0.909	(0.795 - 0.972)	
20 to 24	0.870	(0.830 - 0.910)	0.925	(0.863 - 0.979)	20 to 24	0.808	(0.768 - 0.848)	0.893	(0.702 - 0.959)	
25 to 29	0.865	(0.819 - 0.912)	0.922	(0.828 - 0.979)	25 to 29	0.894	(0.871 - 0.917)	0.927	(0.865 - 0.975)	
30 to 34	0.881	(0.844 - 0.918)	0.917	(0.857 - 0.979)	30 to 34	0.871	(0.832 - 0.909)	0.926	(0.839 - 0.979)	
35 to 39	0.842	(0.790 - 0.893)	0.924	(0.800 - 0.974)	35 to 39	0.878	(0.843 - 0.913)	0.928	(0.835 - 0.978)	
40 to 44	0.851	(0.814 - 0.888)	0.922	(0.801 - 0.974)	40 to 44	0.856	(0.813 - 0.900)	0.925	(0.841 - 0.969)	
45 to 49	0.845	(0.797 - 0.892)	0.918	(0.824 - 0.961)	45 to 49	0.867	(0.825 - 0.908)	0.903	(0.794 - 0.965)	
50 to 54	0.859	(0.825 - 0.893)	0.906	(0.788 - 0.959)	50 to 54	0.847	(0.809 - 0.885)	0.908	(0.771 - 0.961)	

<i>55 to 59</i>	0.841	(0.792 - 0.889)	0.919	(0.809 - 0.961)		<i>55 to 59</i>	0.835	(0.787 - 0.883)	0.914	(0.796 - 0.957)
<i>60 to 64</i>	0.845	(0.806 - 0.884)	0.890	(0.757 - 0.951)		<i>60 to 64</i>	0.812	(0.765 - 0.859)	0.887	(0.772 - 0.945)
<i>65 to 69</i>	0.788	(0.697 - 0.879)	0.888	(0.744 - 0.948)		<i>65 to 69</i>	0.841	(0.791 - 0.892)	0.888	(0.743 - 0.963)
<i>70 to 74</i>	0.729	(0.631 - 0.827)	0.805	(0.553 - 0.899)		<i>70 to 74</i>	0.764	(0.643 - 0.885)	0.894	(0.450 - 0.952)
<i>75 to 79</i>	0.623	(0.410 - 0.836)	0.678	(0.356 - 0.910)		<i>75 to 79</i>	0.626	(0.485 - 0.767)	0.638	(0.462 - 0.887)
<i>80 to 84</i>	0.685	(0.490 - 0.881)	0.729	(0.353 - 0.907)		<i>80 to 84</i>	0.544	(0.279 - 0.810)	0.571	(0.168 - 0.814)
<i>85 and over</i>	0.559	(0.178 - 0.941)	0.634	(-0.001 - 0.704)		<i>85 and over</i>	0.642	(0.430 - 0.855)	0.603	(0.496 - 0.784)
All ages	0.847	(0.835 - 0.859)	0.921	(0.784 - 0.969)		All ages	0.849	(0.838 - 0.860)	0.919	(0.793 - 0.966)

Utility scores were estimated for 3148 respondents from Yukon, Northwest Territories and Nunavut.

Table A2-11. Age and gender stratified utility norms for Yukon, Northwest Territories and Nunavut (continued)

Total population			Weighted Frequency	90,514
	Mean	95% Confidence Interval	Median	Interquartile range
Age group				
<i>12 to 19</i>	0.870	(0.851 - 0.888)	0.909	(0.767 - 0.975)
<i>20 to 24</i>	0.840	(0.808 - 0.871)	0.919	(0.755 - 0.975)
<i>25 to 29</i>	0.880	(0.857 - 0.902)	0.927	(0.865 - 0.977)
<i>30 to 34</i>	0.875	(0.848 - 0.902)	0.925	(0.852 - 0.979)
<i>35 to 39</i>	0.860	(0.828 - 0.892)	0.926	(0.832 - 0.976)
<i>40 to 44</i>	0.854	(0.824 - 0.883)	0.923	(0.808 - 0.972)
<i>45 to 49</i>	0.855	(0.822 - 0.889)	0.911	(0.806 - 0.963)
<i>50 to 54</i>	0.853	(0.827 - 0.879)	0.907	(0.778 - 0.962)
<i>55 to 59</i>	0.838	(0.808 - 0.867)	0.915	(0.804 - 0.959)
<i>60 to 64</i>	0.832	(0.806 - 0.857)	0.889	(0.761 - 0.949)

<i>65 to 69</i>	0.811	(0.760 - 0.862)	0.890	(0.744 - 0.959)
<i>70 to 74</i>	0.748	(0.667 - 0.828)	0.863	(0.567 - 0.948)
<i>75 to 79</i>	0.624	(0.511 - 0.737)	0.653	(0.373 - 0.907)
<i>80 to 84</i>	0.614	(0.457 - 0.771)	0.714	(0.328 - 0.849)
<i>85 and over</i>	0.610	(0.435 - 0.785)	0.645	(0.508 - 0.785)
All ages	0.848	(0.840 - 0.856)	0.920	(0.792 - 0.967)