



648



E279



659



673

Listen to CMAJ editors and authors discuss and comment on the content of this issue. Visit [soundcloud.com/cmajpodcasts](http://soundcloud.com/cmajpodcasts)

### Nitrofurantoin and poor kidney function

Researchers found that nitrofurantoin was less effective than other antibiotics for treatment of UTI in a large cohort of older women, regardless of the women's estimated kidney function. **See Research, page 648**

### Immigration and psychosis in Canada

It is well known that migrants are at increased risk of psychotic disorders. The authors of this cohort study that examines linked health and registry data from Ontario find that, among first-generation immigrants, some groups may be more at risk whereas other groups of migrants appear to be protected. **See Research, page E279**

Kirkbride and Hollander consider the risk to first-generation migrants of having a psychotic illness and applaud the generation of robust Canadian data that can inform the provision of clinical services and guide policy for mental health services for all residents of Canada. **See Commentary, page 637**

### Developmental coordination disorder

Developmental coordination disorder affects about 5% of school-aged children. Harris and colleagues review this underrecognized and underdiagnosed condition, outlining common associated risk factors and treatments that have been shown to help. **See Review, page 659**

### Banking fertility: social egg freezing

Some women who anticipate fertility decline due to the natural aging process may now choose to freeze their eggs to preserve their future fertility. Petropanagos and colleagues discuss benefits, risks, ethical concerns and societal implications of this practice to provide family physicians with the tools to offer balanced information to clients who seek it. **See Analysis, page 666**

### Sudden vision loss in a young woman

A 30-year-old woman presented to the emergency department with a two-day history of blurry vision and pain in her right eye. Examination showed reduced visual acuity and a relative afferent pupillary defect in the right eye. Does she require imaging of her brain or orbits? How about a lumbar puncture? The authors describe an approach to this presentation. **See What is your call?, page 673**

### McKittrick–Wheelock syndrome

In the setting of dehydration, a low urinary chloride concentration is caused by only a few conditions, one of which is a hypersecretory villous adenoma. If the adenoma is large enough, McKittrick–Wheelock syndrome with profound secretory diarrhea, dehydration, pre-renal acute kidney injury and severe electrolyte disturbances can result. Correct identification of this syndrome will lead to definitive endoscopic or surgical treatment that can be life-saving. **See Cases, page 676**

### Middle East respiratory syndrome

Middle East respiratory syndrome is a new human coronavirus that causes severe respiratory illness. Al-Maani and colleagues tell us more about its typical presentation, prognosis and transmission. **See Five things to know about ..., page 679**

### Coronary artery aneurysms

An 82-year-old man was found to have multiple aneurysms of his coronary arteries after undergoing investigations for exercise intolerance. Does he require surgery or stenting, or is medical therapy enough? Abuzeid and Monge review the management of coronary aneurysms. **See Clinical images, page 680**