

Appendix 2 (as supplied by the authors): Incidence and Odds Ratio of the Overall Occurrence of Pregnancy Complications at First Live Delivery for Women Born Singleton and Delivering a Singleton Baby.

		No. (%)	OR adjusted* (CI 95%)
Gestational Diabetes	<32 weeks	36 (7.78)	2.64 (1.85 to 3.77)
	32-36 weeks	224 (3.80)	1.21 (1.03 to 1.42)
	At term	466 (3.17)	1.0
Gestational Hypertension	<32 weeks	32 (6.91)	1.71 (1.18 to 2.47)
	32-36 weeks	263 (4.46)	1.07 (0.92 to 1.24)
	At term	611 (4.15)	1.0
Preeclampsia/eclampsia	<32 weeks	24 (5.18)	1.80 (1.18 to 2.76)
	32-36 weeks	208 (3.53)	1.20 (1.01 to 1.42)
	At term	431 (2.93)	1.0
At least one diagnosis	<32 weeks	85 (18.36)	2.14 (1.68 to 2.73)
	32-36 weeks	635 (10.77)	1.14 (1.03 to 1.25)
	At term	1407 (9.56)	1.0

* ORs are adjusted for being born small or large weight for gestational age, for year of birth of the subject, for chronic hypertension, type I and II diabetes (except for gestational diabetes), kidney disease and women age \geq 25 years.