


**Appendix 9 (as supplied by the authors): Risk of functional decline in relation to heart rate in stratified analyses**



Bars represent odds ratios (95% confidence interval) per each standard deviation increase in resting heart rate in stratified analyses. Adjusted for country, age, sex, education, ADL/IADL at baseline, smoking, body mass index, history of hypertension, history of diabetes mellitus, history of claudication, history of myocardial infarction, history of stroke/transient ischemic attack, statin treatment, diuretics, angiotensin converting enzyme inhibitors, angiotensin receptor blockers, calcium-channel blockers, nitrates, aspirin and anticoagulants. P- values show p for interaction. Abbreviations: OR: odds ratio; CI: confidence interval; ADL: activities of daily living; IADL: instrumental activities of daily living.

**Data points for Appendix 9. Risk of functional decline in relation to heart rate in stratified analyses**

<b>ADL</b>	<b>OR [95% CI]</b>	<b>P for interaction</b>
Statin Yes	1.32 [1.17; 1.49]	0.593
Statin No	1.21 [1.08; 1.36]	
Calcium channel blocker Yes	1.39 [1.17; 1.64]	0.183
Calcium channel blocker No	1.22 [1.11; 1.35]	
Beta-blocker Yes	1.29 [1.07; 1.55]	0.848
Beta-blocker No	1.25 [1.14; 1.38]	
Vascular diseases Yes	1.29 [1.14; 1.47]	0.640
Vascular diseases No	1.23 [1.10; 1.38]	
Hypertension Yes	1.28 [1.15; 1.42]	0.810
Hypertension No	1.24 [1.08; 1.44]	
Female Yes	1.22 [1.09; 1.36]	0.407
Female No	1.32 [1.16; 1.50]	
<b>IADL</b>		
Statin Yes	1.23 [1.10; 1.37]	0.184
Statin No	1.08 [0.98; 1.20]	
Calcium channel blocker Yes	1.23 [1.07; 1.43]	0.255
Calcium channel blocker No	1.12 [1.02; 1.22]	
Beta-blocker Yes	1.09 [0.92; 1.29]	0.325
Beta-blocker No	1.17 [1.07; 1.27]	
Vascular diseases Yes	1.14 [1.02; 1.27]	0.120
Vascular diseases No	1.15 [1.04; 1.28]	
Hypertension Yes	1.15 [1.04; 1.26]	0.876
Hypertension No	1.18 [1.04; 1.34]	
Female Yes	1.09 [0.98; 1.21]	0.372
Female No	1.22 [1.10; 1.37]	

**Footnote:** Bars represent odds ratios (95% confidence interval) per each standard deviation increase in resting heart rate in stratified analyses. Adjusted for country, age, sex, education, ADL/IADL at baseline, smoking, body mass index, history of hypertension, history of diabetes mellitus, history of claudication, history of myocardial infarction, history of stroke/transient ischemic attack, statin treatment, diuretics, angiotensin converting enzyme inhibitors, angiotensin receptor blockers, calcium-channel blockers, nitrates, aspirin and anticoagulants. P- values show p for interaction. Abbreviations: OR: odds ratio; CI: confidence interval; ADL: activities of daily living; IADL: instrumental activities of daily living.